







SOLDER - ROOF CAPS

	Code#	Description	Size	Mfg#
	75-0230	Cast Iron Floor Drain Strainer	6-1/2	
	75-0235	Cast Iron Floor Drain Strainer	6-3/4	
	75-0280	Cast Iron Floor Drain Strainer	11	
	75-0450	Wall Plate Stainless Steel	3	
	75-0454	Wall Plate Stainless Steel	4-1/2	
	75-0458	Wall Plate Stainless Steel	6-1/2	
	75-0460	Wall Plate Stainless Steel	8-1/2	
	75-0485	Access Cover Wall Bar	9" length	870-B
	75-0490	Bolt For Wall Plate CP	1/4 X 6	
	75-0600	Access Panel (Interior Opening Size-13-3/4x13-3/4) Made of ABS, panel snaps into frame, fits flush with wall. Can be installed in wall or ceiling, for use with stud walls 16" on center. No lumber framing required		A05-014
	75-0590	Access Panel (Interior Opening Size-7-1/2 x 7-1/2)		A05-008
	75-5305	STRAINER for 2" SOIL	3	847-2
	75-5310	STRAINER for 3" SOIL	4	847-3
	75-5315	STRAINER for 4" SOIL	5	847-4
	75-2450	FIT ALL PLUG LEAD	3-1/2	P56-350
	75-2460	FIT ALL PLUG LEAD	4	P56-400
	75-0610	Mission Gasket	1-1/2 XH PVC X 2 SV Hub	MR22U-139
	75-0620	Mission Gasket	2 XH PVC X 2 SV Hub	MR22U-205
	75-0630	Mission Gasket	2 XH PVC X 2 XH Hub	MR22UX-205
	75-0640	Mission Gasket	3 XH PVC X 3 SV Hub	MR33U-305
	75-0670	Mission Gasket	3 XH PVC X 4 SV Hub	MR44U-305
	75-0680	Mission Gasket	3 XH PVC X 4 XH Hub	MR44UX-305
	75-0690	Mission Gasket	4 XH PVC X 4 SV Hub	MR44U-405
	75-0700	Mission Gasket	4 XH PVC X 4 XH Hub	MR44UX-405
	75-0710	Mission Gasket	4 SD PVC X 4 SV Hub	MR44U-401
	75-0910	Mission Shr Drain Gasket 2 MSD 200 fits the following shower drain bodies: American Brass and Aluminum, Armstrong (cut to 3/4" height), Casper-Mod. 101-101P (Without Internal Threading Boss), Casper Mod. 101 BR (With Internal Threading Boss), Garvin Mod. 475, Intercon, Kohler, Schaul Mfg. Brass Mod. 1524		MSD-200
	75-0920	Mission TRAP CONN	1-1/2X1-1/4	MRDTC-150

DRAIN & TRAP CONNECTOR



	Code#	Size	Mfg#
	75-0715	4 X 4 Clay x P1/Cl	MR0244
	75-0720	6 X 4 Clay x P1/Cl	MR0264
	75-0722	6 X 6 Clay x P1/Cl	MR0266
MR56125	75-0726	4 X 4	MR5144
	75-0730	1-1/4	MR56125
	75-0735	1-1/2 X 1-1/4	MR5615/125
	75-0740	1-1/2	MR5615
	75-0745	2	MR5622
MR5615/125	75-0750	2 X 1-1/2	MR56215
	75-0753	3 X 2	MR5632
	75-0755	3	MR5633
	75-0758	2	MR5642
	75-0760	4 X 3	MR5643
	75-0765	4	MR5644
	75-0775	6 X 4	MR5664
	75-0780	6	MR5666
	75-0785	8 X 6	MR5686
	75-0790	8	MR5688



Pipe Size


Cast Iron, Plastic, Copper, Steel or Lead to Cast Iron,
Plastic, Copper, Steel or Lead

Fernco		Mission	Fernco		Mission
1056-125	1-1/4 x 1-1/4	MR56125	1056-66	6 x 6	MR5666
1056-150/125	1-1/2 x 1-1/4	MR5615/125	1056-86	8 x 6	MR5686
1056-150	1-1/2 x 1-1/2	MR5615	1056-88	8 x 8	MR5688
1056-215	2 X 1-1/2	MR56215	1056-10-8	10 x 8	MR561008
1056-22	2 x 2	MR5622	1056-1010	10 x 10	MR561010
1056-315	3 x 1-1/2	MR56315	1056-1210	12 x 10	MR561210
1056-32	3 x 2	MR5632	1056-1212	12 x 12	MR561212
1056-33	3 x 3	MR5633	1056-1512	15 x 12	MR561512
1056-415	4 x 1-1/2	MR56415	1056-1515	15 x 15	MR561515
1056-42	4 x 2	MR5642	*1056-1815	18 x 15	MR561815
1056-43	4 x 3	MR5643	1056-1818	18 x 18	MR561818
1056-44	4 x 4	MR5644	1056-2121	21 x 21	MR562121
*1056-53	5 x 3	MR5653	1056-2424	24 x 24	MR562424
1056-54	5 x 4	MR5654	1056-2727	27 x 27	MR562727
1056-55	5 x 5	MR5655			
*1056-63	6 x 3	MR5663			
1056-64	6 x 4	MR5664			
1056-65	6 x 5	MR5665			

*Supplied with reducer



Mission Band-Seal Shielded Transition Couplings















Code#	Size	Mfg#	Code#	Size	Mfg#
75-0975	1-1/2 CI X 1-1/2 PL	CP150	75-1060	3 PL X 3 PL	P300
75-0985	1-1/2 C X 1-1/4 PL	K150	75-1065	3 PL X 2 CI	PC32
75-0995	1-1/2 CI X 1-1/4 PL	CK115	75-1075	3 CI X 3 C	CK33
75-1000	1-1/2 CI X 1-1/4 C	CK1125	75-1085	3 CI X 2 PL	C320
75-1005	1-1/2 TLP X 1-1/2 PL	T150	75-1095	4 CI X 4 PL	CP44
75-1015	1-1/2 TLP X 2 PL	T215	75-1100	4 PL X 4 PL	P400
75-1025	2 C X 1-1/4 PL	CK215	75-1150	4 CI X 2 PL	C420
75-1028	2 CI X 1-1/2 CI	CP215	75-1160	2 CI X 2 PL	CP200
75-1035	2 CI X 2 C	CK22	75-1170	6 CI X 6PL	CP66
75-1045	4 CI X 3 PL	CP43	75-1175	8 CI X 8PL	CP88
75-1055	3 CI X 3 PL	CP33			

Part Numbers and Descriptions

Description	Mission Part #
For Cast Iron to Plastic, Steel or Extra-Heavy Cast Iron	
1-1/2" CI, PL or ST to 1-1/2" PL or ST	CP-150
2" CI, PL or ST to 2" PL or ST	CP-200
2" CI, PL or ST to 1-1/2" PL or ST	CP-215
3" CI, to 3" PL, ST or XH CI	CP-33
4" CI, to 3" PL, ST or XH CI	CP-43
4" CI, to 4" PL, ST or XH CI	CP-44
5" CI, to 5" PL, ST or XH CI	CP-55
6" CI, to 6" PL, ST or XH CI	CP-66
8" CI, to 8" PL, ST or XH CI	CP-88
For Cast Iron, Plastic or Steel to Copper	
1-1/2" CI, PL, or ST to 1-1/4" Copper or 1" PL	CK-1125
1-1/2" CI, PL, or ST to 1-1/2" Copper or 1-1/4" PL	CK-115
2" CI, PL, or ST to 1-1/2" Copper or 1-1/4" PL	CK-215
2" CI, PL, or ST to 2" Copper	CK-22
3" CI to 2" Copper	CK-32
3" CI to 3" Copper	CK-33
4" CI to 3" Copper	CK-43
4" CI to 4" Copper	CK-44
For Cast Iron, Plastic or Steel to Tubular	
1-1/2" CI, PL or ST to 1-1/2" Tubular	T-150
2" CI, PL or ST to 1-1/2" Tubular	T-215
1-1/2" Tubular to 1-1/2" Tubular	BWT-150
For Copper to Copper	
1-1/2" Copper to 1-1/2" Copper or 1-1/4" PL	K-150
2" Copper to 2" Copper	K-200
For Cast Iron to Cast Iron, Plastic or Steel	
3" CI, to 2" CI, PL or ST	C-320
4" CI, to 2" CI, PL or ST	C-420
5" CI, to 4" CI	C-540
For Plastic, Steel or Cast Iron to Plastic, Steel or Extra-Heavy Cast Iron	
3" PL, ST or XH CI, to 3" PL, ST, or XH CI	P-300
4" PL, ST or XH CI, to 3" PL, ST, or XH CI	P-430
4" PL, ST or XH CI, to 4" PL, ST, or XH CI	P-400
For Copper to Cast Iron, Plastic or Steel	
2" Copper to 1-1/2" CI, PL or ST	KC-215
For Plastic, Steel or Extra-Heavy Cast Iron to Copper	
3" PL, ST or XH CI to 2" Copper	PK-32
3" PL, ST or XH CI to 3" Copper	PK-33
4" PL, ST or XH CI to 3" Copper	PK-43
4" PL, ST or XH CI to 4" Copper	PK-44
For Plastic, Steel or Extra-Heavy Cast Iron to Cast Iron, Plastic or Steel	
3" PL, ST or XH CI to 2" CI, PL or ST	PC-32
For Thinwall Plastic to Sch. 40 Plastic	
4" Thinwall PL to 4" Sch 40 PL	TWP-44



	Code#	Description	Size
	75-5020	NEOPRENE TEST CAP	1-1/2
	75-5030	NEOPRENE TEST CAP	2
	75-5040	NEOPRENE TEST CAP	3
	75-5050	NEOPRENE TEST CAP	4
	75-5060	NEOPRENE TEST CAP	6
	NEOPRENE test cap for use with cast iron, steel, copper or plastic pipe. Use for testing pipe or to cap off clean outs.		
	530-0700	SilverFlow Brazing Alloy	1 LB Bars
	75-1570	BRIDGIT STAY-SAFE SOLDER *	1 LB Highest strength lead free solder. For filling and capping large, loose fitting copper and brass fittings, and capping lead-free alloys. For potable water systems.
	75-1590	DUTCHBOY Lead Free Solder *	1LB Spool
	75-1585	Sterling Lead Free Solder *	1LB Spool
	75-1775	Sterling Water Soluble Flux	8 oz.
	75-1610	WIRE SOLDER 95/5 SPOOL *	1 LB
	75-1710	WIRE SOLDER 50/50 SPOOL **	1 LB
	75-1740	#10 WIRE SOLDER 40/60 **	5 LB
	75-1810	INGOT LEAD PER 5# BLOCK	
	75-2610	OAKUM 27 IN LGS	5#
 <p>#1 Slant frost proof</p>	75-3020	ROOF CAP GALV NO 1 SLANT	2
	75-3025	ROOF CAP GALV NO 1 SLANT	3
	75-3030	ROOF CAP GALV NO 1 SLANT	4
 <p>#1 Flat frost proof</p>	75-3060	ROOF CAP GALV NO 1 FLAT	2
	75-3065	ROOF CAP GALV NO 1 FLAT	3
	75-3070	ROOF CAP GALV NO 1 FLAT	4
 <p>#2 Slant</p>	75-3220	ROOF CAP GALV NO 2 SLANT	3
	75-3230	ROOF CAP GALV NO 2 SLANT	4
 <p>#2 Flat</p>	75-3250	ROOF CAP SM NO 1 w/OLSON TOP . (2" & 3" Universal Fit.)	
<p>Note: #1& #2 Slant has 10 ° to 45° pitch adjustment</p>  <p>MOORE ROOF FLANGE WITH OLSON VINYL VENT TOP</p>			
<p>* LEAD FREE ** NOT TO BE USED ON POTABLE WATER - CONTAINS LEAD</p>			